No.



9400165

ANTER DVIKTERD ZARAHEZ OLEVIVLER BATORV

TO ALL TO WHOM THESE PRESENTS SHAVE COME;

Northrup King Company

Therens, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED, PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR UMPORTING IT, OR EXPORTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE EVE PURPOSES, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT ED BY THE PLANT VARIETY PROTECTION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'S66-90'

In Testimonn Murror, I have hereunto set my hand and caused the seal of the Hunt Unriety Arotection Office to be affixed at the City of Washington, D.C. this thirty-first day of October in the year of our Lord one thousand nine hundred and ninety-five.

Allest

Marsho A. Stanton

Commissioner
Plant Variety Protection Office

AliNamen pary of Agriculture Public reporting burden for this collection of information is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Agriculture, Clearance Office, OIRM, Room 404-W, Washington, D.C. 20250; and to the Office of Management and Budget, Paperwork Reduction Project (OMB #0581-0055), Washington, 20250.

| of Management and Budget, Paperwork Reduction Project (OMB 70301-002 | | | | |
|--|--|---------------------------------------|----------------|--|
| U.S. DEPARTMENT OF A AGRICULTURAL MARKET | Application is required in order to determine if a plant variety protection curtificate is to be issued (7 U.S.C 2421). Information is held confidential until | | | |
| APPLICATION FOR PLANT VARIET | | CERTIFICATE | 1 | certificate is issued (7 U.S.C. 2426). |
| 1. NAME OF APPLICANT(S) (as it is to appear on the Certificate) | · · · · · · · · · · · · · · · · · · · | 2 TEMPORARY DESIGNA | TION OR | 3. VARIETY NAME |
| Northrup King Company | | X9366, Y8806 | 591 | \$66 - 90 |
| 4. ADDRESS (street and no. or R.F.D. no., city, state, and ZIP) | | 5 PHONE (Include area) | (ebo | FOR OFFICIAL USE ONLY |
| | | • | | PVPO NUMBER |
| P.O. Box 949 | | • | | |
| Washington, Iowa 52353-0949 | | 319–653–218 | 1 | 9400165 J |
| Attention: Dr. John C. Thorne | | | ľ | F Dule 10 0 F 10 01 |
| | | | | Upril 23, 1997 |
| 6. GENUS AND SPECIES NAME | 7 FAMILY NAME (Bolanic | al) | | I Talle |
| Glycine max | Leguminosae | | | N |
| Gifeine man | | | | F Filing and Examination Fee. |
| B. CROP KIND NAME (Common Name) | 9 (| ATE OF DETERMINATION | | : 1.2325-00 |
| Soybean | 0 | ctober 1991 | | S Date |
| - | | · · · · · · · · · · · · · · · · · · · | | B april 25, 1994 |
| 10. IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FORM OF ORGAN | IIZATION (Corporation, part | nership, association, ate. | | ε // |
| Corporation | * | eritari e | | |
| 11. IF INCORPORATED, GIVE STATE OF INCORPORATION | 12 DA | TE OF INCORPORATION | | 1 30000 |
| Delaware | | 1976 | | E 1900 |
| | 450 5 W Y W 400 16470 | | | o any, the |
| 13. NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), IF ANY, TO | SERVE IN THIS APPLICATE | M AND RECEIVE ALL FAIL | | |
| Dr. John C. Thorne | | | | $(x_1,x_2) \in \mathbb{R}^{n_1} \times \mathbb{R}^{n_2} \times \mathbb{R}$ |
| Northrup King Co. | | | : | |
| P.O. Box 949 | | | | / |
| Washington, Iowa 52353-0949 | | | de aroa code): | 319/653-6645 |
| 14. CHECK APPROPRIATE BUS FOR EACH ATTACHMENT SUBMITTED (Follow) | W INSTRUCTIONS on rever | (0) | | **** |
| a. X Exhibit A, Origin and Breeding History of the Variety | | | | |
| b. X Exhibit B. Novelty Statement | | | | |
| c. 👿 Exhibit C, Objective Description of Variety | | and the second | | And the second second |
| d. Exhibit D. Additional Description of Variety. | | | | |
| e. X Exhibit E, Statement of the Basis of Applicant's Ownership | ρ | | | 4.0 |
| f. X Seed Sample (2,500 viable untreated seeds). Date Seed | Sample mailed to Plant V | ariety Protection Office | · | |
| g. X Filing and Examination Fee (\$2,150) made payable to "T | reasurer of the United St | iles. | | |
| 15. DOES THE APPLICANT(S) SPECIFY THAT SEED OF THIS VARIETY BE SO | D BY VARIETY NAME ONLY | AS A CLASS OF CERTIFIE | SEED? (See | section 83(a) of the Plant Variety |
| Protection Act.) YES (If "YES," answer items 16 and 17 bei | | O," skip to item 18 below) | | |
| 16. DOES THE APPLICANT(S) SPECIFY THAT THIS VARIETY BE LIMITED AS | O. 17. IF "YES" TO | ITEM 16, WHICH CLASSES | OF PRODUCT | TION BEYOND BREEDER SEED? |
| NUMBER OF GENERATIONS? | | , | REGISTER | |
| YES X NO | L F00 | NOITAGN | | |
| 18. DID THE APPLICANT(S) PREVIOUSLY FILE FOR PROTECTION OF THE VA | RIETY IN THE US? | | | |
| | n | • | | • |
| YES (If "YES," Ihrough Plant Variety Protection Act | Palent Act Give du | •} | | |
| X NO | | | | · |
| 19. HAS THE VARIETY BEEN RELEASED, USED, OFFERED FOR SALE, OR M | ARKETED IN THE U.S. OR C | THER COUNTRIES? | | |
| ; paneta | | | | |
| YES (If "YES," give names of countries and dates) | | | | |
| <u>X</u> ио | • | | | |
| 20. The applicant(s) declare(s) that a viable sample of basic se | oda of this variety will | he furnished with the | noplication | and will be replenished upon |
| request in accordance with such regulations as may be appl | icable. | DC 141111D11104 111111 | | • |
| mile and and an alternates in towns the company of this | carually sansaduced t | novel plant variety, as | nd believe(s | s) that the variety is distinct, |
| uniform, and stable as required in section 41, and is entitle | d to protection under th | ie provisions oi section | 42 Of the Fi | ant Variety Protection Act. |
| Applicant(s) is (are) informed that false representation here | in can jeopardize proti | ection and result in pen | alties. | |
| SIGNATURE OF APPLICANT (Owner(s)) | CAPACITY OR T | ITLE | | DATE |
| | - 1 | ^ ^ | | 1 1 1 1 1 1 1 2 2 2 2 |
| the 1 Mano | Soul.ca | n Kescaril | Dir | April 11, 1994 |
| SIGNATURE OF APPLICANT (Owner(s)) | CAPACITY OR T | ITLE | | DATE |
| Salar Salar Salar Journal of | | | | |
| | i | | | 1 |

FORM CSSD-470 (5-89) Edition of FORM LS-470, 3-86, is obsolete

EXHIBIT A

Origin and Breeding History of S66-90

In 1984 the Ring Around breeding group at Hale Center, TX made the cross 'York' x 'Bedford', and the F1 was grown in the field at Bay, AR, during the summer of 1985, by the CR Seeds mid-south breeding group. The F2 and F3 generations were advanced using a modified single seed descent (SSD) procedure in two greenhouse plantings during the winter of 1985-86 at Hartsville, SC. generation was grown in the field at Bay, AR, during the summer of 1986, and numerous single plants were selected at harvest. were then screened with race 14 of soybean cyst nematode (Heterodera glycines) during the winter of 1986-87, and resistant plants were grown as F5 progeny rows at Bay, AR during the summer One row, #11,584 was selected, harvested in bulk and designated Y880691. From 1988-91, Y880691 was tested in replicated yield trials throughout the mid-south and southeastern United During this period, the line was characterized as possessing purple flowers, gray pubescence, tan pod walls and seed with a dull seed coat luster and a hilum with buff pigmentation. It was also established that Y880691 was susceptible to race 1 of Phytophthora rot, but tolerant under field conditions. was further evaluated during 1992-93 in advanced trials, across a wide range of environments, under the experimental designation X9366, and based on its yield superiority and disease resistance, it was released in 1994 as \$66-90.

Breeder's seed was produced in 1992 by bulking together seed from similar plant row progenies. Foundation seed was produced and approved by the Arkansas State Plant Board in 1993. Varietal purity will be maintained through routine roguing or by the further use of progeny rows as required.

S66-90 is a uniform, stable variety except that it may show an imperfect black hilum at a frequency of 1/5,000, and may also contain a tawny pubescent, brown hilum off-type plant, at a frequency of 1/22,000. During the six years of testing and four years of seed increase, we have observed no other off-types except for minor environmentally induced variation in the intensity of hilum pigmentation.

EXHIBIT B

Novelty Statement for the Variety S66-90

Soybean variety S66-90 is most like the varieties RingAround 606 and Pioneer variety 9641. It can be differentiated from RingAround 606 on the basis of flower color, soybean cyst nematode and Phytophthora root rot, and from 9641 on the basis of hilum color, and cyst nematode resistance. S66-90 has purple flowers and a buff hilum, whereas the flower color for RA 606 is white and the hilum color for 9641 imperfect black. Furthermore, S66-90 is resistant to both races 3 and 14 of cyst nematode, whereas RA 606 is only resistant to race 3 and 9641 susceptible to both races. Finally, S66-90 is susceptible to races 1,2,3, and 4, of Phytophthora root rot, whereas RA 606 is resistant and carries the RPS 2 gene for resistance.

EXHIBIT C (Soybean)

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK, MEAT, GRAIN & SEED DIVISION PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARYLAND 20705

OBJECTIVE DESCRIPTION OF VARIETY SOYBEAN (Glycine max L.)

| | TELEGRADY DESIGNATION | VARIETY NAME |
|---|---|---------------------------------------|
| NAME OF APPLICANT(S) | TEMPORARY DESIGNATION | |
| Northrup King Company | X9366, Y880691 | S66-90 |
| ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Code P.O. Box 949 | e) | FOR OFFICIAL USE ONLY PVPO NUMBER |
| Washington, IA 52353-0949 | | 9400165 |
| Attn: John Thorne | | |
| Choose the appropriate response which characterizes the var in your answer is fewer than the number of boxes provided, | place a zero in the first box w | when number is 9 or less (e.g., 0 9). |
| 1. SEED SHAPE: | • | |
| 2 II. W | T | |
| 1 = Spherical (L/W, L/T, and T/W ratios = < 1.2) | 2 = Spherical Flattened | (L/W ratio > 1.2; L/T ratio = < 1.2) |
| 3 = Elongate (L/T ratio > 1.2; T/W = < 1.2) | 4 = Elongate Flattened | (L/T ratio > 1.2; T/W > 1.2) |
| 2. SEED COAT COLOR: (Mature Seed) | | |
| 1 = Yellow 2 = Green 3 = Brown | 4 = Black 5 = Other | (Specify) |
| 3. SEED COAT LUSTER: (Mature Hand Shelled Seed) | | |
| 1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebso | oy'; 'Gasoy 17') | |
| 4. SEED SIZE: (Mature Seed) | | |
| 1 9 Grams per 100 seeds | | |
| 5. HILUM COLOR: (Mature Seed) | | |
| 1 = Buff 2 = Yellow 3 = Brown | 4 = Gray 5 = Imperfect Bl | ack 6 = Black 7 = Other (Specify) |
| 6. COTYLEDON COLOR: (Mature Seed) | | |
| 1 = Yellow 2 = Green | | |
| 7. SEED PROTEIN PEROXIDASE ACTIVITY: | | |
| 1 = Low 2 = High | | |
| 8. SEED PROTEIN ELECTROPHORETIC BAND: | | |
| 1 = Type A (SP1 ^a) 2 = Type B (SP1 ^b) | | |
| 9. HYPOCOTYL COLOR: | | |
| 1 = Green only ('Evans'; 'Davis') 2 = Green wit 3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71') 4 = Dark Purple extending to unifoliate leaves ('Hodgson'; | th bronze band below cotyledons 'Coker Hampton 266A') | ('Woodworth'; 'Tracy') |
| 10. LEAFLET SHAPE: | | |
| 3 1 = Lanceolate 2 = Oval 3 = Ovate | 4 = Other (Specify) | |

| 11. LEAF | LET SIZE: |
|-----------|---|
| 2 | 1 = Small ('Amsoy 71'; 'A5312') 2 = Medium ('Corsoy 79'; 'Gasoy 17') 3 = Large ('Crawford'; 'Tracy') |
| 12. LEAF | COLOR: |
| 2 | 1 = Light Green ('Weber'; 'York') 2 = Medium Green ('Corsoy 79'; 'Braxton') 3 = Dark Green ('Gnome'; 'Tracy') |
| 40 51 014 | ER COLOR: |
| 2 | 1 = White 2 = Purple 3 = White with purple throat |
| 14. POD 0 | OLOR: |
| | 1 = Tan 2 = Brown 3 = Black |
| 15. PLAN | T PUBESCENCE COLOR: |
| 1 | 1 = Gray 2 = Brown (Tawny) |
| 16. PLAN | T TYPES: |
| 2 | 1 = Slender ('Essex'; 'Amsoy 71') 2 = Intermediate ('Amcor'; 'Braxton') 3 = Bushy ('Gnome'; 'Govan') |
| 17. PLAN | ГНАВІТ: |
| 1 | 1 = Determinate ('Gnome'; 'Braxton') 2 = Semi-Determinate ('Will') 3 = Indeterminate ('Nebsoy'; 'Improved Pelican') |
| 18. MATU | RITY GROUP: |
| 0 9 | 1 = 000 2 = 00 3 = 0 4 = I 5 = II 6 = III 7 = IV 8 = V 9 = VI 10 = VII 11 = VIII 12 = IX 13 = X |
| 19 DISEA | SE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) |
| tu et | |
| | FERIAL DISEASES: |
| | Bacterial Pustule (Xanthomonas phaseoli var. sojensis) |
| | Bacterial Blight (Pseudomonas glycinea) |
| 2 | Wildfire (Pseudomonas tabaci) |
| FUNG | AL DISEASES: |
| | |
| 1 | Brown Spot (Septoria glycines) |
| [1] | Brown Spot (Septoria glycines) Frogeye Leaf Spot (Cercospora sojina) |
| | Frogeye Leaf Spot (Cercospora sojina) Race 1 Race 2 Race 3 Race 4 Race 5 1 Other (Specify) Susceptible to |
| | Frogeye Leaf Spot (Cercospora sojina) Race 1 Race 2 Race 3 Race 4 Race 5 1 Other (Specify) Susceptible to Common isolates |
| | Frogeye Leaf Spot (Cercospora sojina) Race 1 Race 2 Race 3 Race 4 Race 5 1 Other (Specify) Susceptible to |
| | Frogeye Leaf Spot (Cercospora sojina) Race 1 Race 2 Race 3 Race 4 Race 5 1 Other (Specify) Susceptible to Common isolates (Arkansas) race |
| | Frogeye Leaf Spot (Cercospora sojina) Race 1 Race 2 Race 3 Race 4 Race 5 Other (Specify) Susceptible to Common isolates (Arkansas) race unspecified |

FORM LMGS-470-57 (2-82)

Page 3 of 4

| . i a. | ÷ | | | ested; 1 - Susceptible | s, 2 - Nesistanti | CONTRIBUT | u, | | | | |
|--------|------------|----------------|-----------------------------|--|-------------------|------------|--|---------------------------------------|--------|-------------|--------------|
| | | GAL DISEASE | ES: (Continued) | | · | | | • | | | |
| | | Pod and Sten | n Blight <i>(Diaporthe</i> | ohaseolorum var; soja | ae) | | | | | | |
| | | Purple Seed 8 | Stain <i>(Cercospora ki</i> | kuchii) | | | | | | | |
| | | Rhizoctonia | Root Rot (Rhizocto | nia solani) | | | | | | | |
| | | Phytophthor | a Rot (Phytophthor | a megasperma var. soj | jae) | | | | | | |
| | | Race 1 | Race 2 | 1 Race 3 | Race 4 | | Race 5 | | Race 6 | Ra | ce 7 |
| | | Race 8 | Race 9 | Other (Special | fy) | | | | | | |
| | VIRA | AL DISEASES: | : | | | | | | | | |
| | | Bud Blight (T | Fobacco Ringspot V | rus) | | | | | | | |
| | | Yellow Mosai | ic (Bean Yellow Mos | aic Virus) , | | | | | | | |
| | | Cowpea Mosa | aic (Cowpea Chlorot | ic Virus) | | | | | ٠ | | |
| | | Pod Mottle (E | Bean Pod Mottle Vir | us) | | | | • | | | |
| | 2 | Seed Mottle (| Soybean Mosaic Vir | us) | | | | | | | |
| | | ATODE DISEA | | | | | | | | | |
| | | Soybean Cyst | t Nematode (Hetero | dera glycines) | | | | | | | |
| | 2 | Race 1 | Race 2 | 2 Race 3 | 1 Race 4 | 2 | Other (Spe | cify) <u>R</u> | aces 9 | and 14 | |
| | 一 | Lance Nemate | ode <i>(Hoplolaimus C</i> | olombus) | لستند | | · | | | | |
| | 2 | | | Meloidogyne incognit | ta) | | | | | | |
| | | | | Meloidogyne Hapla) | • | | | | | | |
| | H | | Knot Nematode (Me | | | | | | | | |
| | | | natode <i>(Rotylenchu</i> | | | | | | | | |
| | 님 | | ASE NOT ON FOR | , | M.Javanica | | | | | | |
| | <u>.L.</u> | | | | | | | | | | |
| 20. F | | LOGICAL RE | SPONSES: (Enter (| = Not Tested; 1 = So | usceptible; 2 = R | esistant) | | | | | |
| | 2 | Iron Chlorosis | on Calcareous Soil | | | | | | | | |
| | | Other (Specify | ν) | | | | | | | | |
| 21. 1 | NSECT | REACTION: | (Enter 0 = Not Test | ed; 1 = Susceptible; 2 | ? = Resistant) | | | | | | |
| | | Mexican Bean | Beetle (Epilachna v | arivestis) | | | | | | | |
| | | Potato Leaf H | opper (Empoasca fa | bae) | | | | | | | |
| | | Other (Specify | ı) | | | | | | | | |
| 22. 1 | NDICAT | TE WHICH VA | RIETY MOST CLO | SELY RESEMBLES | THAT SUBMIT | TED. | <u>,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</u> | | | | |
| | CHAR | ACTER | NAME | OF VARIETY | СН | ARACTE | 3 | · · · · · · · · · · · · · · · · · · · | NAME C | OF VARIETY | |
| PI | ant Sha | pe | York | | | Coat Luste | | S64-2 | | | |
| Le | eaf Shap | oe | Bedford | | Seed : | Size | | York | | | |
| Le | af Colo | or | York | | Seed 3 | hape | | S62-6 | 6 | | |
| Le | eaf Size | 14 | Bedford | | Seedli | ng Pigmen | tation | S61_8 | | | |
| | 41400 | | | | | | | ··· | | | |
| LOKI | vi LIVIGS | S-470-57 (2-82 | 4) | and the second s | | | | | 1. | | Page 3 of 4 |

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

| VARIETY | NO. OF DAYS MATURITY | PLANT LODGING SCORE | CM PLANT HEIGHT | LEAFLET SIZE | | SEED CON | ITENT | SEED SIZE G/100 | NO. SEEDS/ |
|-------------------------------------|----------------------------|---------------------------|-----------------------|--------------|-----------|-----------|-------|--------------------|---------------|
| | | | | CM Width | CM Length | % Protein | % Oil | SEEDS | POD |
| S66-90 Submitted | 153 | 1.5 | 77 | 7.6 | 14.6 | 35.0 | 18.3 | 19.6 | 2-4 |
| P9641 Name of Similar Variety | 150 | 1.9 | 79 | 5.8 | 11.7 | 35.7 | 18.6 | 16.3 | 2-4 |

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A₂ in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.

EXHIBIT E

Statement of the Basis of Ownership of S66-90

Soybean variety S66-90 was developed by the soybean breeding staff of Coker's Pedigreed Seed Company, from F1 seed of a cross received from Ring Around Seeds of Plainview, Tx at the time of the purchase of the soybean breeding program of that seed company in 1984 by Rohm & Haas Seeds, Inc, (RHS), who subsequently donated the germplasm to CR Seeds(CRS). At that time, CRS was an equal partnership between RHS and Coker's Pedigreed Seed Company, the latter of which was purchased by Northrup King Co. in July 1988. The germplasm used in the development of S66-90 is cited in Exhibit A of this application.

Northrup King Co. believes that the variety is novel, as defined by the Plant Variety Protection Act; and therefore, that Northrup King Co. is the sole owner of the variety.

8